

Package: OmicsQC (via r-universe)

October 30, 2024

Type Package

Title Nominating Quality Control Outliers in Genomic Profiling Studies

Version 1.1.0

Description A method that analyzes quality control metrics from multi-sample genomic sequencing studies and nominates poor quality samples for exclusion. Per sample quality control data are transformed into z-scores and aggregated. The distribution of aggregated z-scores are modelled using parametric distributions. The parameters of the optimal model, selected either by goodness-of-fit statistics or user-designation, are used for outlier nomination. Two implementations of the Cosine Similarity Outlier Detection algorithm are provided with flexible parameters for dataset customization.

Depends R (>= 2.10)

Imports stats, utils, fitdistrplus, lsa, BoutrosLab.plotting.general

Suggests knitr, rmarkdown, kableExtra, dplyr, testthat (>= 3.0.0)

Config/testthat/edition 3

License GPL-2

Encoding UTF-8

LazyData true

VignetteBuilder knitr

RoxygenNote 7.2.3

NeedsCompilation no

Author Anders Hugo Frelin [aut], Helen Zhu [aut], Paul C. Boutros [aut, cre] (<<https://orcid.org/0000-0003-0553-7520>>)

Maintainer Paul C. Boutros <PBoutros@mednet.ucla.edu>

Date/Publication 2024-03-01 15:02:43 UTC

Repository <https://pboutros.r-universe.dev>

RemoteUrl <https://github.com/cran/OmicsQC>

RemoteRef HEAD

RemoteSha 2fdfeb0ed72cb8dd27dbc931e59a40a9cb6a955c

Contents

accumulate.zscores	2
correct.zscore.signs	3
cosine.similarity.cutoff	3
cosine.similarity.iterative	5
example.qc.dataframe	6
fit.and.evaluate	6
get.qc.barplot	7
get.qc.heatmap	8
get.qc.multipanelplot	10
sign.correction	11
ylabels	12
zscores.from.metrics	13
Index	14

accumulate.zscores	<i>Sum across sign corrected z-scores for total sample quality score</i>
--------------------	--

Description

This function takes a dataframe of all the sign corrected scores, thus all negative, and aggregates to get a total sample quality score.

Usage

```
accumulate.zscores(zscores.corrected, filename = NULL)
```

Arguments

zscores.corrected	A dataframe whose rows are samples and each column a QC metric
filename	A filename where to save data. If NULL data will not be saved to file

Value

A dataframe of aggregated z-scores for each sample

Sample Sample IDs defined by the rownames of zscores.corrected

Sum Sum of z-scores

correct.zscore.signs *Corrects the z-scores signs according to the metrics*

Description

For some metrics a high z-score is good, while for others a low one is good. This function corrects for that so that a negative z-score is a poor score for every metric. It then sets all positive scores to zero.

Usage

```
correct.zscore.signs(  
  zscores,  
  signs.data,  
  metric.col.name = "Metric",  
  signs.col.name = "Sign",  
  filename = NULL  
)
```

Arguments

zscores	A dataframe whose rows are samples and each column a QC metric, entries are z-scores
signs.data	A dataframe of two columns, the metric names and the sign of the metric
metric.col.name	The name of the column in signs.data that stores the metric name
signs.col.name	The name of the column in signs.data that stores sign as 'neg' or 'pos'
filename	A filename where to save data. If NULL data will not be saved to file

Value

A dataframe whose rows are the QC metrics, and columns are samples with the z-scores if they are negative

cosine.similarity.cutoff

Calculate an outlier cutoff using cosine similarity

Description

This function takes `quality.scores`, trims it and fits it to the distribution given. It then simulates as many datasets as stated by `no.simulations`, and computes the cosine similarity of each dataset against theoretical distribution. It uses what would correspond to a significant value to then calculate what observed value this would correspond to. The function supports the following distributions:

- 'weibull'
- 'norm'
- 'gamma'
- 'exp'
- 'lnorm'
- 'cauchy'
- 'logis'

Usage

```
cosine.similarity.cutoff(
  quality.scores,
  no.simulations,
  distribution = c("lnorm", "weibull", "norm", "gamma", "exp", "cauchy", "logis"),
  trim.factor = 0.05,
  alpha.significant = 0.05
)
```

Arguments

`quality.scores` A dataframe with columns 'Sum' (of scores) and 'Sample', i.e. the output of `accumulate.zscores`

`no.simulations` The number of datasets to simulate

`distribution` A distribution to test, will default to 'lnorm'

`trim.factor` What fraction of values of each to trim to get parameters without using extremes

`alpha.significant`
Alpha value for significance

Value

Results in the form of a named list

cutoff Computed cutoff for aggregated z-scores used as a threshold for nominating outliers

no.outliers Number of nominated outliers

outlier.labels Outlier IDs, corresponding to `Sample` column of `quality.scores`

`cosine.similarity.iterative`

Tests the accumulated quality scores for outliers using cosine similarity

Description

This function takes `quality.scores`, trims it and fits it to the distribution given. It then iteratively tests the largest datapoint compared a null distribution of size `no.simulations`. If the largest datapoint has a significant p-value it tests the 2nd largest one and so on. The function supports the following distributions:

- 'weibull'
- 'norm'
- 'gamma'
- 'exp'
- 'lnorm'
- 'cauchy'
- 'logis'

Usage

```
cosine.similarity.iterative(  
  quality.scores,  
  no.simulations,  
  distribution = c("lnorm", "weibull", "norm", "gamma", "exp", "cauchy", "logis"),  
  trim.factor = 0.05,  
  alpha.significant = 0.05  
)
```

Arguments

`quality.scores` A dataframe with columns 'Sum' (of scores) and 'Sample', i.e. the output of `accumulate.zscores`

`no.simulations` The number of datasets to simulate

`distribution` A distribution to test, will default to 'lnorm'

`trim.factor` What fraction of values of each to trim to get parameters without using extremes

`alpha.significant` Alpha value for significance

Value

Results in the form of a named list

no.outliers Number of nominated outliers

outlier.labels Outlier IDs, corresponding to `Sample` column of `quality.scores`

example.qc.dataframe *QC metrics across 100 samples*

Description

QC metrics across 100 samples

Usage

```
data(example.qc.dataframe)
```

Format

A data frame containing QC data; columns represent QC metrics and rows represent samples

Examples

```
data(example.qc.dataframe)
zscores.from.metrics(
  qc.data = example.qc.dataframe
);
```

fit.and.evaluate *Fits the QC data to distributions and returns the KS test result and BIC score*

Description

This function takes the accumulated QC scores, a vector of distributions and a trimming factor. It then returns the results for each distribution in a dataframe. This function supports the following distributions:

- 'weibull'
- 'norm'
- 'gamma'
- 'exp'
- 'lnorm'
- 'cauchy'
- 'logis'

Usage

```
fit.and.evaluate(
  quality.scores,
  distributions = c("weibull", "norm", "gamma", "exp", "lnorm", "cauchy", "logis"),
  trim.factor = 0.05
)
```

Arguments

`quality.scores` The accumulated QC scores, the output of `accumulate.zscores`

`distributions` A vector of distributions to fit and test

`trim.factor` The fraction of extremes on each end to trim before fitting

Value

A dataframe of the results with the following columns

distribution Name of the fitted distribution

KS.rejected Whether the Kolmogorov-Smirnov test rejects the fit; see `fitdistrplus::gofstat - kstest`

BIC.value Bayesian Information Criterion

<code>get.qc.barplot</code>	<i>Generates the standard barplot of scores for each sample</i>
-----------------------------	---

Description

This function takes the quality score data generated by `accumulate.zscores()` and returns the barplot if no filename is specified. If filename is specified it saves the plot as file and returns NULL. It will also draw a cut-off for which samples to exclude. `get.qc.barplot` offers a standard template for generating a QC barplot, but can also take any parameter that `BoutrosLab.plotting.general::create.barplot` takes for more customizability.

Usage

```
get.qc.barplot(
  quality.scores,
  filename = NULL,
  abline.h = -20,
  yaxis.cex = 0.8,
  xaxis.cex = 0,
  yaxis.tck = 1,
  xaxis.tck = 0,
  xlab.label = "",
  ylab.label = "Sum of Z (Z < 0)",
  ylab.cex = 1,
```

```

    abline.col = "darkgrey",
    axes.lwd = 1,
    ...
)

```

Arguments

quality.scores	A dataframe with columns 'Sum' (of scores) and 'Sample', i.e. the output of accumulate.zscores
filename	Filename for tiff output, or if NULL returns the trellis object itself
abline.h	Adds a horizontal line to the plot; useful for depicting the threshold for what is deemed a poor sample quality score
yaxis.cex	Size of y-axis tick labels, defaults to 0.8
xaxis.cex	Size of x-axis tick labels, defaults to 0
yaxis.tck	Specifies the length of the tick marks for y-axis, defaults to 1
xaxis.tck	Specifies the length of the tick marks for x-axis, defaults to 0
xlab.label	The label for the x-axis, defaults to ""
ylab.label	label for the y-axis, defaults to 'Sum of Z (Z < 0)'
ylab.cex	Size of y-axis label, defaults to 1
abline.col	Colour of the horizontal line on the plot, defaults to 'darkgrey'
axes.lwd	Specify line width of the axes; set to 0 to turn off axes
...	The function can also take any parameter that BoutrosLab.plotting.general::create.barplot takes

Value

The barplot or NULL depending if filename is specified

get.qc.heatmap	<i>Generates the standard heatmap of scores for each sample.</i>
----------------	--

Description

This function takes the the scores for each sample and each metric, after being sign-corrected, and returns the standard heatmap, if filename is NULL. If filename is not NULL it saves the heatmap to file and returns NULL. The function also takes quality.scores to make sure the samples are ordered correctly, as well as the y labels for the quality metrics. get.qc.heatmap offers a standard template for generating a QC heatmap, but can also take any parameter that BoutrosLab.plotting.general::create.barplot takes for customisability.

Usage

```

get.qc.heatmap(
  zscores,
  quality.scores,
  yaxis.lab = colnames(zscores),
  xaxis.lab = quality.scores[, "Sample"],
  filename = NULL,
  yaxis.cex = 0.8,
  xaxis.cex = 0,
  xlab.cex = 1,
  xlab.label = "Samples",
  clustering.method = "none",
  colour.scheme = c("red", "white"),
  colour.centering.value = 0,
  colourkey.labels.at = c(-10:0),
  colourkey.cex = 1,
  at = seq(0, -10, -2),
  same.as.matrix = TRUE,
  row.lines = seq(1, ncol(zscores), 1) + 0.5,
  grid.row = TRUE,
  row.colour = "black",
  row.lwd = 1,
  axes.lwd = 1,
  ...
)

```

Arguments

zscores	A dataframe of (sign-corrected) z-scores for each sample and test metric, i.e. the output of <code>correct.zscore.signs</code>
quality.scores	A dataframe with columns 'Sum' (of scores) and 'Sample', i.e. the output of <code>accumulate.zscores</code>
yaxis.lab	A vector of metric labels for the y-axis; defaults to column names of z-scores
xaxis.lab	A vector of sample labels for the x-axis; defaults to ordered Sample column elements in quality.scores
filename	Filename for tiff output, or if NULL returns the trellis object itself
yaxis.cex	Size of y-axis tick labels, defaults to 0.8
xaxis.cex	Size of x-axis tick labels, defaults to 0
xlab.cex	Size of x-axis label, defaults to 1
xlab.label	The label for the x-axis, defaults so 'Sample'
clustering.method	Method used to cluster the records – “none” gives unclustered data. Accepts all agglomerative clustering methods available in <code>hclust</code> , plus “diana” (which is divisive).
colour.scheme	Heatmap colouring. Accepts old-style themes, or a vector of either two or three colours that are gradiated to create the final palette.

<code>colour.centering.value</code>	What should be the center of the colour-map
<code>colourkey.labels.at</code>	A vector specifying the tick-positions on the colourkey
<code>colourkey.cex</code>	Size of colourkey label text
<code>at</code>	A vector specifying the breakpoints along the range of x; each interval specified by these breakpoints are assigned to a colour from the palette. Defaults to <code>seq(0, -10, -2)</code> , to give a clear discrete display of colours. If x has values outside of the range specified by “at” those values are shown with the colours corresponding to the extreme ends of the colour spectrum and a warning is given.
<code>same.as.matrix</code>	Prevents the flipping of the matrix that the function normally does
<code>row.lines</code>	Vector specifying location of lines, default is <code>seq(1, ncol(x), 1) + 0.5</code> . Note: Add 0.5 to customized vector
<code>grid.row</code>	Allow turning off of the interior grid-lines. Default is TRUE.
<code>row.colour</code>	Interior grid-line colour, defaults to “black”. Can be a vector
<code>row.lwd</code>	Interior grid-line width, defaults to 1. Setting to zero is equivalent to <code>grid.row = FALSE</code> and <code>grid.col = FALSE</code> . Can be a vector.
<code>axes.lwd</code>	Width of heatmap border. Note it also changes the colourkey border and ticks
<code>...</code>	The function can also take any parameter that <code>BoutrosLab.plotting.general::create.heatmap</code> takes

Value

The heatmap or NULL depending if filename is specified

`get.qc.multipanelplot` *Generates the multipanel plot of heatmap and barplot*

Description

This function takes the barplot and heatmap and returns the multipanel plot of the two.

Usage

```
get.qc.multipanelplot(
  barplot,
  heatmap,
  filename = NULL,
  width = 10,
  height = 8,
  layout.height = 2,
  layout.width = 1,
  plot.objects.heights = c(1, 3),
  y.spacing = -1,
```

```

    ylab.axis.padding = -19,
    left.padding = 8,
    main = "QC Summary",
    main.cex = 1,
    ...
)

```

Arguments

barplot	A barplot of the samples aggregated score
heatmap	A heatmap of the sign-corrected scores for each sample
filename	Filename to output to
width	Width of resulting file
height	Height of resulting file
layout.height	how many plots per column
layout.width	how many plots per row.
plot.objects.heights	Heights of each row of the plot. Must be vector of same size as layout.height
y.spacing	vertical spacing between each plot. Can be single value or vector of length layout.height - 1
ylab.axis.padding	padding between axis and y label of plots. Can be single value or vector of length layout.width
left.padding	padding from the left side of the frame
main	main label text
main.cex	main label cex
...	The function can also take any parameter that BoutrosLab.plotting.general::create.multipanelplot takes

Value

The multipanelplot or NULL depending if filename is specified

sign.correction	<i>Directionality of QC metrics</i>
-----------------	-------------------------------------

Description

Directionality of QC metrics

Usage

```
data(sign.correction)
```

Format

A data frame containing the following columns: Metric, Sign

Metric Quality control metrics, corresponding to the metrics in `example.qc.dataframe`

Sign Directionality of each metric; positive (pos) means a higher metric is better, negative (neg) means a lower metric is better

Examples

```
data(sign.correction)
data(example.qc.dataframe)
correct.zscore.signs(
  zscores = example.qc.dataframe,
  signs.data = sign.correction,
  metric.col.name = 'Metric',
  signs.col.name = 'Sign',
  );
```

 ylabels

Formatted QC metrics labels

Description

Formatted QC metrics labels

Usage

```
data(ylabels)
```

Format

A character vector of formatted QC metric labels

Examples

```
data(ylabels)
data(example.qc.dataframe)
data(sign.correction)
zscores <- zscores.from.metrics(qc.data = example.qc.dataframe);
zscores.corrected <- correct.zscore.signs(
  zscores = zscores,
  signs.data = sign.correction,
  metric.col.name = 'Metric',
  signs.col.name = 'Sign'
  );
quality.scores <- accumulate.zscores(zscores.corrected = zscores.corrected);
qc.heatmap <- get.qc.heatmap(
  zscores = zscores.corrected,
```

```
    quality.scores = quality.scores,  
    yaxis.lab = ylabel  
);
```

zscores.from.metrics *Calculate z-scores for each metric across each sample*

Description

This function takes a dataframe of QC metrics, and calculates the the z-scores. If filename is specified, the results will be saved to file.

Usage

```
zscores.from.metrics(qc.data, filename = NULL)
```

Arguments

qc.data	A dataframe whose rows are samples and each column a QC metric
filename	A filename where to save data. If NULL data will not be saved to file

Value

A dataframe of z-scores; rows correspond to samples and columns correspond to metrics from qc.data

Index

* datasets

example.qc.dataframe, [6](#)

sign.correction, [11](#)

ylabels, [12](#)

accumulate.zscores, [2](#)

correct.zscore.signs, [3](#)

cosine.similarity.cutoff, [3](#)

cosine.similarity.iterative, [5](#)

example.qc.dataframe, [6](#)

fit.and.evaluate, [6](#)

get.qc.barplot, [7](#)

get.qc.heatmap, [8](#)

get.qc.multipanelplot, [10](#)

sign.correction, [11](#)

ylabels, [12](#)

zscores.from.metrics, [13](#)